

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

LEAD FREE

IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

COFLEX S.A. DE C.V.

HIDALGO NO 602 PTE. COL. CENTRO MONTERREY, NL 64000 , Mexico

Product:

Lead Free Plumbing Products

Products are certified to the following standard(s)
**Section 1417(d) of the Safe Drinking Water Act The lead
content requirements of Section 116875 of the California
Health & Safety Code
NSF/ANSI/CAN 372-2024**

File Number: 12893

Revised Date: June 6, 2025

Effective Date: March 2021

Void After: March 2026*


Chairman, Product Certification Committee




Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

LEAD FREE	Issued To: COFLEX S.A. DE C.V.	Effective Date: March 2021
	File Number: 12893	Revised Date: June 6, 2025
	Product: Lead Free Plumbing Products	Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall bear the appropriate IAPMO R&T certification mark. The product may also bear either "Lead Free" or "Low Lead" above or in close proximity to the IAPMO R&T certification mark.

Characteristics:

Products may include any pipe, pipe fitting, solder, flux, or other plumbing products providing water for human consumption. Products listed below are to be installed in accordance with the manufacturer's instruction. These products have been verified with weighted average lead content $\leq 0.25\%$; Solder and flux lead content $\leq 0.2\%$.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

LEAD FREE

Issued To: COFLEX S.A. DE C.V.

File Number: 12893

Product: Lead Free Plumbing Products

Effective Date: March 2021

Revised Date: June 6, 2025

Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Plomer™

Coflex™

Model Number	Description
HR300-WE	Inner tubing 0.300"
HH300-WE	Inner tubing 0.300"

Legend Format	Description
MTU#-FL-**	Flexible connectors
M	Mercado (represents various markets)
[]	sin carácter / blank
E =	exportación / Export
N =	Nacional / National
C =	Constructor / Builder
T	Trenzado / types of braiding
A =	Acero / Stainless steel
V =	vinilo / Vynil
F =	Forte / Forte
M =	monofilamento / Monofilament
U	Uso / Intend of use (Tipo de conector / Connector type)
L =	Lavabo / Lavatory
F =	Fregadero / Sink
S =	Sanitario / Water Closet
#	Numero del 1 al 9 que representa una variacion de la conexiões de materiales diferentes por ejemplo (plástico-latón)/ Number 1-9 represents variations in the material of the end connection, i.e. Plastic- Brass
2	1/2" x 1/2" - metalica o plastica / metal or plastic
0	Guión / dash

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Issued To: COFLEX S.A. DE C.V.

Effective Date: March 2021

LEAD FREE

File Number: 12893

Revised Date: June 6, 2025

Product: Lead Free Plumbing Products

Void After: March 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

0	Guión / dash
F	Fittings: son las combinacion de espiga + empaque+tuerca desde A hasta Z (represents the fittings washer + gasket are identified with letter A to Z) [] sin carácter / blank
A-Z =	3-AR-BC01
	3-AR-BC06
	3-AR-BC11
	3-AR-BC16
	3-AR-BC21
	3-AR-BC26
	3-AR-BC31
	3-AR-BC36
	3-BCTO-WC +
	3-W12BR-WS
	3-W12CO-WS
	3-W78CO-WS
	3-W38CO-WN
	3-W12CO-WN
	3-W38FI-WS
	3-W12PU-WN
	3-W58PE-WS
L	representan la longitud del flexible / Flex connector length
20-500 =	20 cm hasta 500 cm / 20 to 500 cm
**	Dos letras de la A a la Z que representa clientes , pais, o las opciones de distribución, o sin carácter (two letters represents various distribution store options, customers, contry or blank.)
A-Z	
Nota:	Los flexibles pueden usar manguera interior con las claves 3-HH300-WE ó 3-HR300-WE
Note:	The flexibles connector use a inner hose with the part number 3-HH300-WE or 3-HR300-WE